Docket No.: 202686US2TTC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Karsumi KANEHIRA, et al.

SERIAL NO:

09/774,621

GAU:

2863

FILED:

February 1, 2001

EXAMINER: LAU, TUNG S.

FOR:

DETERIORATION DIAGNOSTIC METHOD AND EQUIPMENT THEREOF

REQUEST FOR CONTINUED EXAMINATION (RCE) TRANSMITTAL

	,	
COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313		Ø E
SIR:		ECHKU R
This is a request for Continued Examination (RCE) under 37 C.F.R. §1.114 of the	e above-ident	ified application.
Submission required under 37 C.F.R. §1.114		8 2003 CENTER
Previously Submitted: ■ Consider the amendment(s)/reply under 37 C.F.R. §1.116 previously filed □ Consider the arguments in the Appeal Brief or Reply Brief previously filed Enclosed: □ Amendment/Reply □ Information Disclosure Statement (IDS) □ Other:	_	رح تح
FEES	RATE	CALCULATIONS
Suspension of action on the above-identified application is requested under 37 C.F.R. §1.103(c) for a period of months.	\$130.00	\$0.00
RCE Fee required under 37 C.F.R. §1.17(e)	\$770.00	\$770.00
		\$0.00
		\$0.00
TOTAL OF ABOVE CALCULATIONS:		\$770.00
☐ REDUCTION BY 50% FOR FILING AS SMALL ENTITY		\$0.00
	TOTAL:	\$770.00
A check in the amount of \$770.00 is enclosed ☐ Credit card payment form is attached to cover the fees in the amount of \$\frac{\scrt{s}}{2}\$ ☐ Please charge any additional Fees for the papers being filed herewith and for which no clearly overpayment to Deposit Account No. 15-0030. A duplicate copy of this sheet is ☐ If these papers are not considered timely filed by the Patent and Trademark Office, then a padditional fees required under 37 CFR 1.136 for any necessary extension of time may be charged.	neck or credit can enclosed.	made under 37 CFR 1.136, and a
of this sheet is enclosed. Respectfully Subm	·	ANIO

11/14/2003 H

01 FC:1801

770.00 OP

MAIER & NEUSTADT, P.C.

Eckhard-H. Keusters

Registration No. 28,870

Customer Number

Tel. (703) 413-3000

W. Todd Baker

Registration No. - 45,265 -

Fax. (703) 413-2220 I:\ATTY\WTB\0039\202686US\RCE 7 Nov 03.DOC